

Fleet Vehicle and Equipment Specification

Specification # - SDN-CM-HYBRD (2-5-2015)

SDN-CM-HYBRD

Compact SEDAN w Hybrid Drive

Ford C-Max Hybrid

 ${}^{\star}\text{NOTE}$ - The following specification is the minimum requirements only. The actual awarded vehicle

may include features and options that excede the specification.

Scope This specification details The State of North Carolina's requirement for a compact,

electric-gasoline hybrid, four (4) door sedan. The compact, four (4) door sedan and all required options will be designed and assembled in accordance with all applicable industry standards and comply with all governmental regulations as they apply to the operation of the vehicle described in this specification. This vehicle will be used for general transportation of personnel associated with the operation of a government

business.

BASE SPECIFICATIONS:

General Wheelbase - 105 - 110 in.

Length (overall) - 175 - 180 in. Weight - 3,000 - 3,200 lbs. Rated passenger capability - 5 Towing capacity - N/A

Engine 1.8L, DOHC, I4, 16 valve or equivalent

98HP @ 5,200 RPM (net SAE) 105 lb.-ft @ 4,000 RPM (net SAE)

Stainless steel exhaust

Fuel - Unleaded regular - 87 octane

Transmission Automatic - Electronic six (6) speed

Front axle ratio - 4.11 Electronic stability control Front wheel drive

Brakes Front - Disc-vented; Rear - Disc

ABS (Antilock brake system) four (4) wheel - 4 ABS channels

ABS driveline traction control

Electrical 168 cell 202V, NiMH, traction battery

Rundown protection 80HP; 153 lb.-ft.

Hybrid electric motor alternator

Tires Front/Rear - P195/65S15 BSW AS

Spare - Compact size mounted in trunk

Wheels Front/Rear - 15.0" X 6.00" steel with covers

Interior Equipment Air conditioning

Color -Gray Seats - Cloth

Front - Dual bucket seats with adjustable head restraints

Rear - 60/40 full, folding bench

Safety air bags - Driver and passenger and head-curtain side impact

Driver & passenger head protection air bags

Occupancy sensor

Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.

Standard audio package- AM/FM - Manufacturers standard

Power steering

Cruise control

Tilt steering

Extra entry key (total 2 keys) Keyless Entry

Power door locks

Power windows

Floor mats - Front and rear (rubber) 12v DC power outlets (2)

Low Tire Pressure Warning (TPMS)

Electric rear window defogger

Exterior Equipment Color - White (manufacturer's standard)

Variable intermittent front windshield wipers

Power adjustable outside mirrors Fuel tank - 11.0 - 13.0 gal.

SULEV II **Emissions**

OTHER:

Bumper to Bumper - 36 month/36,000 miles (Basic) Warranty

Powertrain - 60 month/60,000 miles Corrosion Perforation - 60 month/unlimited distance Roadside Assistance - 60 month/60,000 miles Safety Restraint System - 60 month/60,000 miles

Approved Options

Day time running lights